Appln. No.: 10/737,325

Amdt. Dated March 1, 2006

Reply to Office Action dated October 4, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- (currently amended) A method for printing a document with a security marking comprising:
 - a) providing an ink capable of for printing images which are visible both to viewing under white light and as fluorescent images when irradiated with ultraviolet light; and
 - b) printing at least two image segments, the <u>image</u> segments having features of different sizes,
 - wherein the relative-sizes of the two image segments will provide a detectable difference in fluorescent image sharpness.
- 2. (currently amended) A-The method according to claim 1 wherein the visible image of both image segments are readable by machine.
- 3. (currently amended)_A-The method according to claim 1 wherein at least one image segment will have feature dimensions within the range of from about 50 to 200 μm and at least one image segment will have feature dimensions of at least about 100 μm, and the two image segments will have features that differ in feature dimension by at least about 50%.

Appln. No.: 10/737,325 Amdt. Dated March 1, 2006

Reply to Office Action dated October 4, 2005

- 4. (currently amended) A-The method according to claim 3 wherein, the two image segments will have features that differ in feature dimension by at least about 100%.
- 5. (currently amended) A-<u>The</u> method according to claim 1 wherein the two barcode image segments are printed with a POV-Photosensitive Optically Variable (POV) ink.
- 6. (currently amended) A method for authenticating printed documents comprises:
 - a) obtaining at least one document having an image printed thereon comprised
 of at least two <u>image</u> segments of different feature size, said image printed
 with an ink capable of for printing images which are visible both to viewing
 under white light and as fluorescent images when irradiated with ultraviolet
 light;
 - b) illuminating both image segments with both white light and ultraviolet light;
 - c) measuring the a positive and negative contrast for both image segments;
 - d) comparing the measured contrast values for the image segments to predetermined values; and
 - e) based on the comparison, determining if the document is an original or if it-the document is identified as a copy.
- 7. (currently amended) An apparatus for testing a document printed with a security marking comprising:
 - a) means for illuminating image segments of a document having two barcode segments;
 - b) means for measuring the <u>a</u> positive and negative contrast for both image segments;
 - c) means for comparing the measured contrast values for the <u>image</u> segments to predetermined values; and

Appln. No.: 10/737,325 Amdt. Dated March 1, 2006

Reply to Office Action dated October 4, 2005

- d) means for, based on the comparison, determining if the document is an original or if it is identified as a copy.
- 8. (currently amended) A printed document with a security marking, comprising: at least two image segments printed with an ink capable of for forming images which are visible both to viewing under white light and as fluorescent images when irradiated with ultraviolet light, the <u>image</u> segments having features of different sizes,
 - wherein the relative sizes of the two image segments will provide a detectable difference in fluorescent image sharpness.